

# American Journal of Physiology: Renal, Fluid and Electrolyte Physiology

No. 1. JULY 1995

## EDITORIAL REVIEW

- Function and structure of H-K-ATPase in the kidney  
*C. S. Wingo and A. J. Smolka* F1
- 
- Role of renal nerves in natriuresis of L-NMMA infusion in SHR and WKY rats  
*A. A. Khraibi* F17
- Polarity and transport properties of rabbit kidney proximal tubule cells on collagen IV-coated porous membranes  
*I. Genestie, J. Morin, B. Vannier, and G. Lorenzon* F22
- Differential interaction of human renal P-glycoprotein with various metabolites and analogues of cyclosporin A  
*J. H. M. Charuk, P. Y. Wong, and R. A. F. Reithmeier* F31
- Comparison of systemic and direct intrarenal angiotensin II blockade on sodium excretion in rats  
*Y. Peng and F. G. Knox* F40
- Prostaglandin E<sub>2</sub> regulation of ion transport is absent in medullary thick ascending limbs from SHR  
*D. W. Good, C. R. Caflisch, and T. George* F47
- Diffusive transport of solute in the rat medullary microcirculation  
*T. L. Pallone, S. Nielsen, E. P. Sillardoff, and S. Yang* F55
- Role of membrane-permeable ions in renin secretion by renal juxtaglomerular cells  
*K. Schriker and A. Kurtz* F64
- Oxytocin as an antidiuretic hormone. I. Concentration dependence of action  
*C. Chou, S. R. DiGiovanni, R. Mejia, S. Nielsen, and M. A. Knepper* F70
- Oxytocin as an antidiuretic hormone. II. Role of V<sub>2</sub> vasopressin receptor  
*C. Chou, S. R. DiGiovanni, A. Luther, S. J. Lolait, and M. A. Knepper* F78
- Effect of luminal angiotensin II on ammonia production and secretion by mouse proximal tubules  
*G. T. Nagami* F86
- Characterization of Na<sup>+</sup>-phosphate cotransporters in renal cortical endosomes  
*M. Loghman-Adham, G. T. Motock, P. Wilson, and M. Levi* F93
- Hypertonic NaCl enhances adenosine release and hormonal cAMP production in mouse thick ascending limb  
*M. Baudouin-Legros, A. Badou, M. Paulais, M. Hammet, and J. Teulon* F103
- Angiotensin II regulates nephrogenesis and renal vascular development  
*A. Tufro-McReddie, L. M. Romano, J. M. Harris, L. Ferder, and R. A. Gomez* F110
- Luminal acidification in K-replete OMCD: inhibition of bicarbonate absorption by K removal and luminal Ba  
*F. E. Armitage and C. S. Wingo* F116
- Endogenous ANP in postischemic acute renal allograft failure  
*O. Vinot, J. Bialek, S. Canaan-Kühl, J. D. Scandling, Jr., D. Dafoe, E. Alfrey, and B. D. Myers* F125

## RAPID COMMUNICATION

- Selective neuronal nitric oxide synthase inhibition blocks furosemide-stimulated renin secretion in vivo  
*W. H. Beierwaltes* F134

# American Journal of Physiology: Renal, Fluid and Electrolyte Physiology

No. 1. JULY 1995

## EDITORIAL REVIEW

- Function and structure of H-K-ATPase in the kidney  
*C. S. Wingo and A. J. Smolka* F1
- Role of renal nerves in natriuresis of L-NMMA infusion in SHR and WKY rats  
*A. A. Khraibi* F17
- Polarity and transport properties of rabbit kidney proximal tubule cells on collagen IV-coated porous membranes  
*I. Genestie, J. Morin, B. Vannier, and G. Lorenzon* F22
- Differential interaction of human renal P-glycoprotein with various metabolites and analogues of cyclosporin A  
*J. H. M. Charuk, P. Y. Wong, and R. A. F. Reithmeier* F31
- Comparison of systemic and direct intrarenal angiotensin II blockade on sodium excretion in rats  
*Y. Peng and F. G. Knox* F40
- Prostaglandin E<sub>2</sub> regulation of ion transport is absent in medullary thick ascending limbs from SHR  
*D. W. Good, C. R. Caflisch, and T. George* F47
- Diffusive transport of solute in the rat medullary microcirculation  
*T. L. Pallone, S. Nielsen, E. P. Sillardoff, and S. Yang* F55
- Role of membrane-permeable ions in renin secretion by renal juxtaglomerular cells  
*K. Schriker and A. Kurtz* F64
- Oxytocin as an antidiuretic hormone. I. Concentration dependence of action  
*C. Chou, S. R. DiGiovanni, R. Mejia, S. Nielsen, and M. A. Knepper* F70
- Oxytocin as an antidiuretic hormone. II. Role of V<sub>2</sub> vasopressin receptor  
*C. Chou, S. R. DiGiovanni, A. Luther, S. J. Lolait, and M. A. Knepper* F78
- Effect of luminal angiotensin II on ammonia production and secretion by mouse proximal tubules  
*G. T. Nagami* F86
- Characterization of Na<sup>+</sup>-phosphate cotransporters in renal cortical endosomes  
*M. Loghman-Adham, G. T. Motock, P. Wilson, and M. Levi* F93
- Hypertonic NaCl enhances adenosine release and hormonal cAMP production in mouse thick ascending limb  
*M. Baudouin-Legros, A. Badou, M. Paulais, M. Hammet, and J. Teulon* F103
- Angiotensin II regulates nephrogenesis and renal vascular development  
*A. Tufro-McReddie, L. M. Romano, J. M. Harris, L. Ferder, and R. A. Gomez* F110
- Luminal acidification in K-replete OMCD: inhibition of bicarbonate absorption by K removal and luminal Ba  
*F. E. Armitage and C. S. Wingo* F116
- Endogenous ANP in postischemic acute renal allograft failure  
*O. Vinot, J. Bialek, S. Canaan-Kühl, J. D. Scandling, Jr., D. Dafoe, E. Alfrey, and B. D. Myers* F125

## RAPID COMMUNICATION

- Selective neuronal nitric oxide synthase inhibition blocks furosemide-stimulated renin secretion in vivo  
*W. H. Beierwaltes* F134

# EDITORIAL REVIEW

Multiple mechanisms of receptor-G protein signaling specificity <i>J. R. Raymond</i>	F141
<hr/>	
Inner medullary external osmotic driving force in a 3-D model of the renal concentrating mechanism <i>S. R. Thomas and A. S. Wexler</i>	F159
Developmental regulation of ACE gene expression by endogenous kinins and angiotensin II <i>I. V. Yosipiv and S. S. El-Dahr</i>	F172
Subcellular distribution and membrane association of Rho-related small GTP-binding proteins in kidney cortex <i>D. Boivin and R. Béliveau</i>	F180
Chronic L-NAME hypertension in rats and autoregulation of juxtamedullary preglomerular vessels <i>N. Bouriquet and D. Casellas</i>	F190
Magnitude of TGF-initiated nephron-nephron interactions is increased in SHR <i>Y.-M. Chen, K.-P. Yip, D. J. Marsh, and N.-H. Holstein-Rathlou</i>	F198
Effects of osmotic perturbation on $[Ca^{2+}]_i$ and $pH_i$ in rabbit proximal tubular cells in primary culture <i>N. J. H. Raat, C. H. van Os, and R. J. M. Bindels</i>	F205
TNF- $\alpha$ and IFN- $\gamma$ induce expression of nitric oxide synthase in cultured rat medullary interstitial cells <i>K. S. Lau, O. Nakashima, G. R. Aalund, L. Hogarth, K. Ujiie, J. Yuen, and R. A. Star</i>	F212
Mechanisms of iron-induced proximal tubule injury in rat remnant kidney <i>D. C. H. Harris, Y.-C. Tay, J. Chen, L. Chen, and B. J. Nankivell</i>	F218
Influence of glucagon on GFR and on urea and electrolyte excretion: direct and indirect effects <i>M. Ahloulay, M. Déchaux, K. Laborde, and L. Bankir</i>	F225
Role of calcium in insulin-stimulated NaCl transport in medullary thick ascending limb <i>O. Ito, Y. Kondo, N. Takahashi, K. Omata, and K. Abe</i>	F236
Glyburide attenuates calmodulin antagonist-stimulated renin release from isolated mouse juxtaglomerular cells <i>D. A. Linseman, J. A. Lawson, D. A. Jones, and J. H. Ludens</i>	F242
GRO chemokines: a transduction, integration, and amplification mechanism in acute renal inflammation <i>X. Wu, G. J. Dolecki, and J. B. Lefkowitz</i>	F248
Luminal prostaglandin E receptors regulate salt and water transport in rabbit cortical collecting duct <i>Y. Sakairi, H. R. Jacobson, T. D. Noland, and M. D. Breyer</i>	F257
Molecular analysis of spontaneous glomerulosclerosis in Os/+ mice, a model with reduced nephron mass <i>C. He, R. K. Zalups, D. A. Henderson, G. E. Striker, and L. J. Striker</i>	F266
Nephrotoxicant inhibition of renal proximal tubule cell regeneration <i>R. S. Counts, G. Nowak, R. D. Wyatt, and R. G. Schnellmann</i>	F274
NaCl injections in brain induce natriuresis and blood pressure responses sensitive to ANG II AT <sub>1</sub> receptors <i>P. Rohmeiss, C. Beyer, E. Nagy, C. Tschöpe, S. Höhle, M. Strauch, and T. Unger</i>	F282

Effect of pH on potassium and proton conductance in renal proximal tubule <i>X. Gu and H. Sackin</i>	F289
P <sub>2</sub> purinoceptor stimulation attenuates PTH inhibition of phosphate uptake by a G protein-dependent mechanism <i>E. D. Lederer and K. R. McLeish</i>	F309
Frequency domain of renal autoregulation in the conscious dog <i>U. Wittmann, B. Nafz, H. Ehmke, H. R. Kirchheim, and P. B. Persson</i>	F317
Chemokine gene expression in anti-glomerular basement membrane antibody glomerulonephritis <i>W. W. Tang, S. Yin, A. J. Wittwer, and M. Qi</i>	F323
Tubulointerstitial injury and impaired renal function after recovery from acute puromycin nephrosis <i>K. Baboolal and T. W. Meyer</i>	F331
Stimulation of proximal convoluted tubule phosphate transport by epidermal growth factor: signal transduction <i>R. Quigley, D. A. Kennerly, J.-N. Sheu, and M. Baum</i>	F339
In situ hybridization of H-K-ATPase $\beta$ -subunit mRNA in rat and rabbit kidney <i>M. L. Campbell-Thompson, J. W. Verlander, K. A. Curran, W. G. Campbell, B. D. Cain, C. S. Wingo, and J. E. McGuigan</i>	F345
Regulation of ATP-sensitive K <sup>+</sup> channel by membrane-bound protein phosphatases in rat principal tubule cell <i>M. Kubokawa, C. M. McNicholas, M. A. Higgins, W. Wang, and G. Giebisch</i>	F355
Differential expression of multiple glutaminase mRNAs in LLC-PK <sub>1</sub> -F <sup>+</sup> cells <i>D. Porter, W. R. Hansen, L. Taylor, and N. P. Curthoys</i>	F363
Biphasic effect of angiotensin II on intracellular sodium concentration in rat proximal tubules <i>A. M. Reilly, P. J. Harris, and D. A. Williams</i>	F374
Anion secretion drives fluid secretion by monolayers of cultured human polycystic cells <i>R. Mangoo-Karim, M. Ye, D. P. Wallace, J. J. Grantham, and L. P. Sullivan</i>	F381
Extracellular glucose reduces the responsiveness of mesangial cell ion channels to angiotensin II <i>E. E. Seal, D. C. Eaton, L. M. Gomez, H. Ma, and B. N. Ling</i>	F389
Renal expression of osteopontin and alkaline phosphatase correlates with BUN levels in aged rats <i>C. T. Liang and J. Barnes</i>	F398
Cloning, embryonic expression, and alternative splicing of a murine kidney-specific Na-K-Cl cotransporter <i>P. Igarashi, G. B. Vanden Heuvel, J. A. Payne, and B. Forbush III</i>	F405
1 $\alpha$ ,25-Dihydroxyvitamin D <sub>3</sub> receptor ontogenesis in fetal renal development <i>J. A. Johnson, J. P. Grande, P. C. Roche, W. E. Sweeney, Jr., E. D. Avner, and R. Kumar</i>	F419
Taurine ameliorates chronic streptozocin-induced diabetic nephropathy in rats <i>H. Trachtman, S. Futterweit, J. Maesaka, C. Ma, E. Valderrama, A. Fuchs, A. A. Tarectecan, P. S. Rao, J. A. Sturman, T. H. Boles, M.-X. Fu, and J. Baynes</i>	F429
Decreased transcription of the sodium-phosphate transporter gene in the hypophosphatemic mouse <i>J. F. Collins, L. A. Scheving, and F. K. Ghishan</i>	F439
Endothelin receptor mRNA expression in renal medulla identified by in situ RT-PCR <i>L. H. Chow, S. Subramanian, G. J. Nuovo, F. Miller, and E. P. Nord</i>	F449

# EDITORIAL

Times of change

*L. R. Johnson*

F459

---

Regional and segmental localization of AE2 anion exchanger mRNA and protein in rat kidney

*F. C. Brosius III, K. Nguyen, A. K. Stuart-Tilley, C. Haller, J. P. Briggs, and S. L. Alper*

F461

Selective A<sub>1</sub> adenosine receptor antagonism augments  $\beta$ -adrenergic-induced renin release in vivo

*C. A. Pfeifer, F. Suzuki, and E. K. Jackson*

F469

Restoration of urine concentrating ability and accumulation of medullary osmolytes after chronic diuresis

*M. Sone, A. Ohno, G. J. Albrecht, K. Thureau, and F.-X. Beck*

F480

Prevention of experimental cyclosporin-induced interstitial fibrosis by losartan and enalapril

*E. A. Burdmann, T. F. Andoh, C. C. Nast, A. Evan, B. A. Connors, T. M. Coffman, J. Lindsley, and W. M. Bennett*

F491

Regulation of H<sup>+</sup>-K<sup>+</sup>-ATPase expression in kidney

*T. D. DuBose, Jr., J. Codina, A. Burges, and T. A. Pressley*

F500

Effects of chronic Cl depletion alkalosis on proximal tubule transport and renal production of ammonium

*T. D. DuBose, Jr., and D. W. Good*

F508

Autoregulation of zonal glomerular filtration rate and renal blood flow in spontaneously hypertensive rats

*X. Wang, K. Aukland, J. Ofstad, and B. M. Iversen*

F515

Expression of endothelins 1 and 3 in the rat kidney

*J. D. Firth, K. Schrickler, P. J. Ratcliffe, and A. Kurtz*

F522

Increased sensitivity of the renal vasculature to adenosine in streptozotocin-induced diabetes mellitus rats

*A. C. Pflueger, F. Schenk, and H. Osswald*

F529

Heterogeneity of NH<sub>4</sub><sup>+</sup> transport in mouse inner medullary collecting duct cells

*S. M. Wall, H. N. Trinh, and K. E. Woodward*

F536

NH<sub>3</sub> permeability of principal cells and intercalated cells measured by confocal fluorescence imaging

*K.-P. Yip and I. Kurtz*

F545

Expression of colonic H-K-ATPase mRNA in cortical collecting duct: regulation by acid/base balance

*G. Fejes-Tóth, E. Rusvai, K. A. Longo, and A. Náráy-Fejes-Tóth*

F551

Expression of calcineurin activity and  $\alpha$ -subunit isoforms in specific segments of the rat nephron

*J. A. Tumlin, J. T. Someren, C. E. Swanson, and J. P. Lea*

F558

DARPP-32 promoter directs transgene expression to renal thick ascending limb of loop of Henle

*S. Blau, L. Daly, A. Fienberg, G. Teitelman, and M. E. Ehrlich*

F564

---

## MODELING IN PHYSIOLOGY

Noninvasive measurement of intrarenal blood flow distribution: kinetic model of renal <sup>125</sup>I-hippuran handling

*W. M. T. Janssen, H. Beekhuis, R. de Bruin, P. de Jong, and D. de Zeeuw*

F571

Analysis of interaction between TGF and the myogenic response in renal blood flow autoregulation

*R. Feldberg, M. Colding-Jørgensen, and N.-H. Holstein-Rathlou*

F581



## RAPID COMMUNICATION

Tyrosine phosphorylation is a novel pathway for regulation of chloride secretion in shark rectal gland

*R. W. Lehigh and J. N. Forrest, Jr.*

F594

## No. 5. NOVEMBER 1995

### EDITORIAL REVIEW

Transgenic animal models of renal development and pathogenesis

*J. B. Kopp and P. E. Klotman*

F601

---

Cl<sup>-</sup> channels in basolateral renal medullary vesicles. IX. Channels from mouse MTAL cell patches and medullary vesicles

*W. B. Reeves, C. J. Winters, D. M. Filipovic, and T. E. Andreoli*

F621

Cross-linked hemoglobin increases fractional reabsorption and GFR in hypoxic isolated perfused rat kidneys

*A. D. Baines, B. Christoff, D. Wicks, D. Wiffen, and D. Pliura*

F628

Actin filaments stimulate the Na<sup>+</sup>-K<sup>+</sup>-ATPase

*H. F. Cantiello*

F637

Angiotensin IV receptors and signaling in opossum kidney cells

*N. Dulin, Z. T. Madhun, C.-H. Chang, L. Berti-Mattera, D. Dickens, and J. G. Douglas*

F644

FGF-1 in normal and regenerating kidney: expression in mononuclear, interstitial, and regenerating epithelial cells

*T. Ichimura, J. A.-M. Maier, T. Maciag, G. Zhang, and J. L. Stevens*

F653

Aquaporin-3 water channel localization and regulation in rat kidney

*C. A. Ecelbarger, J. Terris, G. Frindt, M. Echevarria, D. Marples, S. Nielsen, and M. A. Knepper*

F663

Protein phosphatase-1 in the kidney: evidence for a role in the regulation of medullary Na<sup>+</sup>-K<sup>+</sup>-ATPase

*D. Li, A. Aperia, G. Celsi, E. F. da Cruz e Silva, P. Greengard, and B. Meister*

F673

Unique localization of mRNA encoding plasma membrane Ca<sup>2+</sup> pump isoform 3 in rat thin descending loop of Henle

*A. J. Caride, E. N. Chini, M. Yamaki, T. P. Dousa, and J. T. Penniston*

F681

Developmental regulation of chloride/formate exchange in guinea pig proximal tubules

*E. N. Guillery and D. J. Huss*

F686

Renal inner medullary sorbitol metabolism

*R. W. Grunewald, I. I. Weber, and R. K. H. Kinne*

F696

Quantitative RT-PCR analysis of calcitonin receptor mRNAs in the rat nephron

*D. Firsov, A.-C. Bellanger, S. Marsy, and J.-M. Elalouf*

F702

Kallikrein excretion in Dahl salt-sensitive and salt-resistant rats with native and transplanted kidneys

*P. C. Churchill, M. C. Churchill, A. K. Bidani, and S. F. Rabito*

F710

Role of NF- $\kappa$ B in the regulation of inducible nitric oxide synthase in an MTAL cell line

*B. C. Kone, J. Schwöbel, P. Turner, M. G. Mohaupt, and C. B. Cangro*

F718

Regulation of luminal alkalinization and acidification in the cortical collecting duct by angiotensin II

*I. D. Weiner, A. R. New, A. E. Milton, and C. C. Tisher*

F730

Complement C5b-9 activates cytosolic phospholipase A<sub>2</sub> in glomerular epithelial cells

*A. V. Cybulsky, J. C. Monge, J. Papillon, and A. J. McTavish*

F739

- Ca<sup>2+</sup>/calmodulin-dependent protein kinase II activation and regulation of adrenal glomerulosa Ca<sup>2+</sup> signaling  
*R. J. Fern, M. S. Hahm, H.-K. Lu, L. P. Liu, F. S. Gorelick, and P. Q. Barrett* F751
- Depletion of intercalated cells from collecting ducts of carbonic anhydrase II-deficient (CAR2 null) mice  
*S. Breton, S. L. Alper, S. L. Gluck, W. S. Sly, J. E. Barker, and D. Brown* F761
- Distribution of aquaporin-4 water channel expression within rat kidney  
*J. Terris, C. A. Ecelbarger, D. Marples, M. A. Knepper, and S. Nielsen* F775
- Role of bradykinin B<sub>2</sub> receptors in the developmental changes of renal hemodynamics in the neonatal rat  
*S. S. El-Dahr, I. V. Yosipiv, L. Lewis, and K. D. Mitchell* F786
- Parallel regulation of constitutive NO synthase and renin at JGA of rat kidney under various stimuli  
*H. M. Bosse, R. Böhm, S. Resch, and S. Bachmann* F793
- 20-Hydroxyeicosatetraenoic acid is formed in response to EGF and is a mitogen in rat proximal tubule  
*F. Lin, A. Rios, J. R. Falck, Y. Belosludtsev, and M. L. Schwartzman* F806
- Differential mRNA expression of insulin-like growth factor system during renal injury and hypertrophy  
*M. K. Hise, L. Li, N. Mantzouris, and R. M. Rohan* F817
- Nitric oxide and prostaglandins are involved in the macula densa control of the renin system  
*K. Schriker, M. Hamann, and A. Kurtz* F825
- Interleukin-1 $\beta$  induces interstitial collagenase gene expression and protein secretion in renal mesangial cells  
*D. Daphna-Iken and A. R. Morrison* F831
- In vivo and in vitro pressor effects of erythropoietin in rats  
*N. D. Vaziri, X. J. Zhou, J. Smith, F. Oveisi, K. Baldwin, and R. E. Purdy* F838
- Hypoxia induces changes in phospholipase A<sub>2</sub> in rat proximal tubules: evidence for multiple forms  
*K. H. Choi, C. L. Edelstein, P. Gengaro, R. W. Schrier, and R. A. Nemenoff* F846
- In vivo and in vitro osmotic regulation of HSP-70 and prostaglandin synthase gene expression in kidney cells  
*B. D. Cowley, Jr., M. J. Muessel, D. Douglass, and W. Wilkins* F854
- Extracellular nucleotide receptor inhibits AVP-stimulated water permeability in inner medullary collecting duct  
*B. K. Kishore, C.-L. Chou, and M. A. Knepper* F863
- Flow dependence of chloride transport in rat S1 proximal tubules  
*K. R. Wong, C. A. Berry, and M. G. Cogan* F870
- Homeostatic efficiency of tubuloglomerular feedback is reduced in established diabetes mellitus in rats  
*V. Vallon, R. C. Blantz, and S. Thomson* F876
- Adenosine inhibits arginine vasopressin-stimulated chloride secretion in a mouse IMCD cell line (mIMCD-K2)  
*B. D. Moyer, D. E. McCoy, B. Lee, N. Kizer, and B. A. Stanton* F884
- Inhibition of local nitric oxide synthase increases homeostatic efficiency of tubuloglomerular feedback  
*V. Vallon and S. Thomson* F892
- Expression of the thiazide-sensitive Na-Cl cotransporter in rat and human kidney  
*N. Obermüller, P. Bernstein, H. Velázquez, R. Reilly, D. Moser, D. H. Ellison, and S. Bachmann* F900
- Suppressing role of transforming growth factor- $\beta$ 1 on cathepsin activity in cultured kidney tubule cells  
*H. Ling, S. Vamvakas, G. Busch, J. Dämmrich, L. Schramm, F. Lang, and A. Heidland* F911

Polarized distribution of renal natriuretic peptide receptors in normal physiology and ischemia <i>D. Ritter, A. D. Dean, Z.-H. Guan, and J. E. Greenwald</i>	F918
Role of water channel AQP-CD in water retention in SIADH and cirrhotic rats <i>N. Fujita, S. Ishikawa, S. Sasaki, G. Fujisawa, K. Fushimi, F. Marumo, and T. Saito</i>	F926
<hr/>	
<i>Subject Index to Volume 38</i>	F933
<i>Author Index to Volume 38</i>	F939



